

Management of Hyperglycemia: Hyperglycemia Crisis Conditions

Susan S. Braithwaite, MD

Bibliography

1. Alberti KG, Hockaday TD, Turner RC. Small doses of intramuscular insulin in the treatment of diabetic "coma". *Lancet*. 1973 Sep 8;2(7828):515-22.
2. Alberti KG. Low-dose insulin in the treatment of diabetic ketoacidosis. *Arch Intern Med*. 1977 Oct;137(10):1367-76.
3. American Diabetes A. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 2007;30(suppl_1):S42-7.
4. Arieff AI, Carroll HJ. Nonketotic hyperosmolar coma with hyperglycemia: clinical features, pathophysiology, renal function, acid-base balance, plasma-cerebrospinal fluid equilibria and the effects of therapy in 37 cases. *Medicine (Baltimore)*. 1972 Mar;51(2):73-94.
5. Arieff AI, Carroll HJ. Nonketotic hyperosmolar coma with hyperglycemia: clinical features, pathophysiology, renal function, acid-base balance, plasma-cerebrospinal fluid equilibria and the effects of therapy in 37 cases. *Medicine* 1972;51:73-94.
6. Barrett EJ, DeFronzo RA, Bevilacqua S, et al. Insulin resistance in diabetic ketoacidosis. *Diabetes*. 1982 Oct;31(10):923-8.
7. Basu A, Close CF, Jenkins D, et al. Persisting Mortality in Diabetic Ketoacidosis. *Diabetic Medicine*. 1993;10(3):282-4.
8. Bellam H, Braithwaite SS. Hospital hypoglycemia: from observation to action. *Insulin Journal*. 2010;5(1):16-36.
9. Blaha J, Kopecky P, Matias M, et al. Comparison of three protocols for tight glycemic control in cardiac surgery patients. *Diabetes Care*. 2009 May;32(5):757-61.
10. Braithwaite SS, Godara H, Song J, et al. Intermediary variables and algorithm parameters for an electronic algorithm for intravenous insulin infusion. *Journal of Diabetes Science and Technology*. 2009 2009;3(4):835-56.
11. Braithwaite Susan S, Lisa Clark, Lydia Dacenko-Grawe, ,Radha Devi, ,Josefina Diaz, Mehran Javadi, Harley Salinas. "Prevention of Hospital Hypoglycemia by Algorithm Design: A Programming Pathway for Electronic Order Entry" , chapter in "Hypoglycemia / Book 2", Intech Open Access Publisher, ISBN 979-953-307-245-5 (accepted for publication).
12. Brandt K, Miles J. Relationship between severity of hyperglycemia and metabolic acidosis in diabetic ketoacidosis. *Mayo Clin Proc* 1988;63(11):1071-4.
13. Bureau MA, Begin R, Berthiaume Y, et al. Cerebral hypoxia from bicarbonate infusion in diabetic acidosis. *J Pediatr*. 1980 Jun;96(6):968-73.
14. Burghen GA, Etteldorf JN, Fisher JN, et al. Comparison of high-dose and low-dose insulin by continuous intravenous infusion in the treatment of diabetic ketoacidosis in children. *Diabetes Care*. 1980 Jan-Feb;3(1):15-20.
15. Chase JG, Pretty CG, Pfeifer L, et al. Organ failure and tight glycemic control in the SPRINT study. *Crit Care*. Aug 12;14(4):R154.
16. Chiasson J-L, Aris-Jilwan N, Belanger R, et al. Diagnosis and treatment of diabetic ketoacidosis and the hyperglycemic hyperosmolar state. *CMAJ* 2003;168(7):859-66.
17. Christensen NJ, Orskov H. The relationship between endogenous serum insulin concentration and glucose uptake in the forearm muscles of nondiabetics. *J Clin Invest*. 1968 Jun;47(6):1262-8.
18. Clements RS, Jr., Blumenthal SA, Morrison AD, et al. Increased cerebrospinal fluid pressure during therapy for diabetic acidosis. *Trans Assoc Am Physicians*. 1971;84:102-12.
19. Clumeck N, Detroyer A, Naeije R, et al. Letter: small intravenous insulin boluses in the treatment of diabetic coma. *Lancet*. 1975 Aug 30;2(7931):416.
20. Delaney MF, Zisman A, Kettyle WM. Diabetic ketoacidosis and hyperglycemic hyperosmolar nonketotic syndrome. *Endocrinology and Metabolism Clinics of North America* 2000;29:683-705.

21. Della Manna T, Steinmetz L, Campos PR, et al. Subcutaneous Use of a Fast-Acting Insulin Analog: An alternative treatment for pediatric patients with diabetic ketoacidosis. *Diabetes Care* 2005;28(8):1856-61.
22. Devi R, Selvakumar G, Clark L, Downer C, and Braithwaite S.S. A Dose-Defining Insulin Algorithm for Attainment and Maintenance of Glycemic Targets during Therapy of Hyperglycemic Crises. *Diabetes Management* 2011; 1 (4): 397–412.
23. Diabetes Data and Trends. Hospitalization. [cited 2010 December 24]; Available from: http://www.cdc.gov/diabetes/statistics/hospitalization_national.htm#5
24. Dunger DB, Edge JA. Predicting cerebral edema during diabetic ketoacidosis. *N Engl J Med* 2001;344(4):302-3.
25. Dunger DB, Sperling MA, Acerini CL, et al. ESPE/LWPES consensus statement on diabetic ketoacidosis in children and adolescents. *Arch Dis Child*. 2004 February 1, 2004;89(2):188-94.
26. Dunger DB, Sperling MA, Acerini CL, et al. ESPE/LWPES consensus statement on diabetic ketoacidosis in children and adolescents. *Arch Dis Child* 2004;89(2):188-94.
27. Edge J, Jakes R, Roy Y, et al. The UK case-control study of cerebral oedema complicating diabetic ketoacidosis in children. *Diabetologia*. 2006;49(9):2002-9.
28. Edge JA, Hawkins MM, Winter DL, et al. The risk and outcome of cerebral oedema developing during diabetic ketoacidosis. *Arch Dis Child*. 2001 Jul;85(1):16-22.
29. Ehusani-Anumah FO, Ohwovoriole AE. Plasma glucose response to insulin in hyperglycaemic crisis. *Int J Diabetes & Metabolism*. 2007;15:17-21.
30. Faich G, Fishbein HA, Ellis S. The epidemiology of diabetic acidosis: a population-based study. *Am J Epidemiol* 1983;117(5):551-8.
31. Ferreri R. Treatment practices of diabetic ketoacidosis at a large teaching hospital. *J Nurs Care Qual*. 2008 Apr-Jun;23(2):147-54.
32. Fisher JN, Shahshahani MN, Kitabchi AE. Diabetic ketoacidosis: low-dose insulin therapy by various routes. *N Engl J Med*. 1977 Aug 4;297(5):238-41.
33. Foster D, McGarry J. The metabolic derangements and treatment of diabetic ketoacidosis. *New Engl J Med* 1983;309(3):159-69.
34. Fulop M, et al. *Arch Int Med* 1976;136:987-990.
35. Fulop M, Murthy V, Michilli A, Nalamati J, Qian Q, Saitowitz A. Serum {beta}-Hydroxybutyrate Measurement in Patients With Uncontrolled Diabetes Mellitus. *Arch Intern Med* 1999;159(4):381-4.
36. Fulop M, Tannenbaum H, Dreyer N. Ketotic hyperosmolar coma. *Lancet*. 1973;2(7830):635-9.
37. Gerich JE, Martin MM, Recant L. Clinical and metabolic characteristics of hyperosmolar nonketotic coma. *Diabetes*. 1971;20:228-38.
38. Gerich JE, Martin MM, Recant L. Clinical and metabolic characteristics of hyperosmolar nonketotic coma. *Diabetes* 1971;20:228-38.
39. Glaser N, Barnet P, McCaslin I, et al. Risk factors for cerebral edema in children with diabetic ketoacidosis. *N Engl J Med*. 2001;344(4):254-9.
40. Glaser N, Barnet P, McCaslin I, et al. Risk factors for cerebral edema in children with diabetic ketoacidosis. *N Engl J Med* 2001;344(4):254-9.
41. Guerra SM, Kitabchi AE. Comparison of the effectiveness of various routes of insulin injection: insulin levels and glucose response in normal subjects. *J Clin Endocrinol Metab*. 1976 May;42(5):869-74.
42. Hepp D, Poffenbarger PL, Ensinnck JW, et al. Effects of nonsuppressible insulin-like activity and insulin on glucose oxidation and lipolysis in the isolated adipose cell. *Metabolism*. 1967 May;16(5):393-401.
43. Holt S, Cudworth AG. Letter: Insulin resistance during continuous insulin infusion. *Lancet*. 1976 Jan 3;1(7949):44.
44. Hovorka R, Kremen J, Blaha J, et al. Blood Glucose Control by a Model Predictive Control Algorithm with Variable Sampling Rate Versus a Routine Glucose Management Protocol in Cardiac Surgery Patients: A Randomized Controlled Trial. *J Clin Endocrinol Metab*. 2007 August 1, 2007;92(8):2960-4.
45. Hyperglycemic Crises in Diabetes. *Diabetes Care* 2004;27(90001):94S-102.
46. Kanter Y, Bessman AN. Letter: Insulin resistance during continuous insulin infusion. *Lancet*. 1976 May 29;1(7970):1187-8.

47. Kidson W, Casey J, Kraegen E, et al. Treatment of severe diabetes mellitus by insulin infusion. *Br Med J*. 1974 Jun 29;2(5921):691-4.
48. Kitabchi AE, Ayyagari V, Guerra SM. The efficacy of low-dose versus conventional therapy of insulin for treatment of diabetic ketoacidosis. *Ann Intern Med*. 1976 Jun;84(6):633-8.
49. Kitabchi AE, Murphy MB, Spencer J, et al. Is a priming dose of insulin necessary in a low-dose insulin protocol for the treatment of diabetic ketoacidosis? *Diabetes Care*. 2008 Nov;31(11):2081-5.
50. Kitabchi AE, Umpierrez GE, Fisher JN, et al. Thirty years of personal experience in hyperglycemic crises: diabetic ketoacidosis and hyperglycemic hyperosmolar state. *J Clin Endocrinol Metab*. 2008 May;93(5):1541-52.
51. Kitabchi AE, Umpierrez GE, Miles JM, et al. Hyperglycemic crises in adult patients with diabetes. *Diabetes Care*. 2009 Jul;32(7):1335-43.
52. Kitabchi AE, Umpierrez GE, Murphy MB, Kreisberg RA. Hyperglycemic Crises in Adult Patients With Diabetes: A consensus statement from the American Diabetes Association. *Diabetes Care* 2006;29(12):2739-48.
53. Kitabchi AE, Young R, Sacks H, et al. Diabetic ketoacidosis: reappraisal of therapeutic approach. *Annu Rev Med*. 1979;30:339-57.
54. Kitabchi AE. Low-dose insulin therapy in diabetic ketoacidosis: fact or fiction? *Diabetes Metab Rev*. 1989 Jun;5(4):337-63.
55. Kitabchi. *Diabetes Care* 2001; 24: 131.
56. Kreisberg RA. Diabetic ketoacidosis: new concepts and trends in pathogenesis and treatment. *Ann Intern Med*. 1978 May;88(5):681-95.
57. Kreisberg RA. Diabetic ketoacidosis: new concepts and trends in pathogenesis and treatment. *Annals of Internal Medicine* 1978;88:681-95.
58. Lawrence SE, Cummings EA, Gaboury I, et al. Population-based study of incidence and risk factors for cerebral edema in pediatric diabetic ketoacidosis. *J Pediatr*. 2005 May;146(5):688-92.
59. Le Roith D, Zick Y. Recent Advances in Our Understanding of Insulin Action and Insulin Resistance. *Diabetes Care* 2001;24(3):588-97.
60. Levetan CS, Passaro MD, Jablonski KA, et al. Effect of physician specialty on outcomes in diabetic ketoacidosis. *Diabetes Care*. 1999 Nov;22(11):1790-5.
61. Levetan CS, Passaro MD, Jablonski KA, et al. Effect of physician specialty on outcomes in diabetic ketoacidosis. *Diabetes Care*. 1999;22:1790-5. [PMID: 10546009]
62. Levin DL. Cerebral edema in diabetic ketoacidosis. *Pediatr Crit Care Med*. 2008 May;9(3):320-9.
63. Levy et al. Ketoacidosis associated with alcoholism in nondiabetic subjects. *Ann Int Med* 1973;79:213-219.
64. Lorber D. Nonketotic hypertonicity in diabetes mellitus. *Med Clin North Am*. 1995 Jan;79(1):39-52.
65. Luzi L, Barrett EJ, Groop LC, et al. Metabolic effects of low-dose insulin therapy on glucose metabolism in diabetic ketoacidosis. *Diabetes*. 1988 Nov;37(11):1470-7.
66. Mabrouk GM, Helmy IM, Thampy KG, Wakil SJ. Acute hormonal control of acetyl-CoA carboxylase. The roles of insulin, glucagon, and epinephrine. *J Biol Chem* 1990;265(11):6330-8.
67. Maccario M, Messis CP. Cerebral oedema complicating treated non-ketotic hyperglycaemia. *Lancet*. 1969 Aug 16;2(7616):352-3.
68. MacIsaac RJ, Lee LY, McNeil KJ, et al. Influence of age on the presentation and outcome of acidotic and hyperosmolar diabetic emergencies. *Intern Med J*. 2002 Aug;32(8):379-85.
69. Mahoney CP, Vlcek BW, DelAguila M. Risk factors for developing brain herniation during diabetic ketoacidosis. *Pediatr Neurol*. 1999 Oct;21(4):721-7.
70. Maldonado M, Hampe CS, Gaur LK, et al. Ketosis-Prone Diabetes: Dissection of a Heterogeneous Syndrome Using an Immunogenetic and β -Cell Functional Classification, Prospective Analysis, and Clinical Outcomes. *J Clin Endocrinol Metab* %R 101210/jc2003-030180 2003;88(11):5090-8.
71. Malone ML, Gennis V, Goodwin JS. Characteristics of diabetic ketoacidosis in older versus younger adults. *J Am Geriatr Soc*. 1992 Nov;40(11):1100-4.
72. Malone ML, Klos SE, Gennis VM, et al. Frequent hypoglycemic episodes in the treatment of patients with diabetic ketoacidosis. *Arch Intern Med*. 1992 Dec;152(12):2472-7.

73. Marliss E, Ohman JJ, Aoki T, Kozak G. Altered redox state obscuring ketoacidosis in diabetic patients with lactic acidosis. *N Engl J Med* 1970;978-80(18):978-80.
74. McCurdy DK. Hyperosmolar hyperglycemic nonketotic diabetic coma. *Med Clin North Am.* 1970 May;54(3):683-99.
75. McCurdy DK. Hyperosmolar hyperglycemic nonketotic diabetic coma. *Medical Clinics of North America* 1970;54:683-99.
76. McGarry J, Mannaerts G, Foster D. A possible role for malonyl-CoA in the regulation of hepatic fatty acid oxidation and ketogenesis. *J Clin Invest* 1977;60:265-70.
77. Mudaliar S, Mohideen P, Deutsch R, et al. Intravenous Glargine and Regular Insulin Have Similar Effects on Endogenous Glucose Output and Peripheral Activation/Deactivation Kinetic Profiles. *Diabetes Care.* 2002 September 1, 2002;25(9):1597-602.
78. Muir AB, Quisling RG, Yang MCK, Rosenbloom AL. Cerebral Edema in Childhood Diabetic Ketoacidosis: Natural history, radiographic findings, and early identification. *Diabetes Care* 2004;27(7):1541-6.
79. Musey et al. *Diabetes Care.* 1995;18:483-489.
80. Page MM, Alberti KG, Greenwood R, et al. Treatment of diabetic coma with continuous low-dose infusion of insulin. *Br Med J.* 1974 Jun 29;2(5921):687-90.
81. Petzoldt R, Trabert C, Walther A, et al. [Etiology and prognosis of diabetic coma--a retrospective study]. *Verh Dtsch Ges Inn Med.* 1971;77:637-40.
82. Pilkis SJ, Chrisman TD, El-Maghrabi MR, et al. The action of insulin on hepatic fructose 2,6-bisphosphate metabolism. *J Biol Chem* 1983;258(3):1495-503.
83. Piniés JA, Cairo G, Gaztambide S, et al. Course and prognosis of 132 patients with diabetic non ketotic hyperosmolar state. *Diabete & Metabolisme (Paris).* 1994;20:43-8.
84. Piniés JA, Cairo G, Gaztambide S, Vazquez JA. Course and prognosis of 132 patients with diabetic non ketotic hyperosmolar state. *Diabete & Metabolisme (Paris)* 1994;20:43-8.
85. Plank J, Blaha J, Cordingley J, et al. Multicentric, Randomized, Controlled Trial to Evaluate Blood Glucose Control by the Model Predictive Control Algorithm Versus Routine Glucose Management Protocols in Intensive Care Unit Patients. *Diabetes Care* 2006 February 1, 2006;29(2):271-6.
86. Prager R, Wallace P, Olefsky JM. In vivo kinetics of insulin action on peripheral glucose disposal and hepatic glucose output in normal and obese subjects. *J Clin Invest.* 1986 Aug;78(2):472-81.
87. Puigserver P, Rhee J, Donovan J, et al. Insulin-regulated hepatic gluconeogenesis through FOXO-1-PGC-1 alpha interaction. *Nature* 2003;2003:1-6.
88. Randall L, Begovic J, Hudson M, Smiley D, Peng L, Pitre N, Umpierrez D, Umpierrez G. Recurrent Diabetic Ketoacidosis in Inner-City Minority Patients. *Diabetes Care* Publish Ahead of Print, published online July 20, 2011DOI: 10.2337/dc11-0701
89. Rosenbloom AL. Intracerebral crises during treatment of diabetic ketoacidosis. *Diabetes Care.* 1990 Jan;13(1):22-33.
90. Sacks HS, Shahshahani M, Kitabchi AE, et al. Similar responsiveness of diabetic ketoacidosis to low-dose insulin by intramuscular injection and albumin-free infusion. *Ann Intern Med.* 1979 Jan;90(1):36-42.
91. Saltiel AR, Kahn CR. Insulin signalling and the regulation of glucose and lipid metabolism. *Nature* 2001;414:799-806.
92. Sament S, Schwartz MB. Severe diabetic stupor without ketosis. *S African Med J* 1957;31:893.
93. Sanders G, Boyle G, Hunter S, Poffenbarger PL. Mixed acid-base abnormalities in diabetes. *Diabetes Care* 1978;1:362-4.
94. Schade DS, Eaton RP. Dose response to insulin in man: differential effects on glucose and ketone body regulation. *J Clin Endocrinol Metab.* 1977 Jun;44(6):1038-53.
95. Semple PF, White C, Manderson WG. Continuous intravenous infusion of small doses of insulin in treatment of diabetic ketoacidosis. *Br Med J.* 1974 Jun 29;2(5921):694-8.
96. Shaw CE, Jr., Hurwitz GE, Schmukler M, et al. A clinical and laboratory study of insulin dosage in diabetic acidosis: comparison with small and large doses. *Diabetes.* 1962 Jan-Feb;11:23-30.
97. Sherwin RS, Kramer KJ, Tobin JD, et al. A model of the kinetics of insulin in man. *J Clin Invest.* 1974 May;53(5):1481-92.

98. Smith K, Martin HE. Response of diabetic coma to various insulin dosages. *Diabetes*. 1954 Jul-Aug;3(4):287-94; discussion, 94-5.
99. Soler NG, FitzGerald MG, Wright AD, et al. Comparative study of different insulin regimens in management of diabetic ketoacidosis. *Lancet*. 1975 Dec 20;2(7947):1221-4.
100. Sonksen PH, Srivastava MC, Tompkins CV, et al. Growth-hormone and cortisol responses to insulin infusion in patients with diabetes mellitus. *Lancet*. 1972 Jul 22;2(7769):155-9.
101. Turner RC, Grayburn JA, Newman GB, et al. Measurement of the insulin delivery rate in man. *J Clin Endocrinol Metab*. 1971 Aug;33(2):279-86.
102. Umpierrez GE, Cuervo R, Karabell A, et al. Treatment of Diabetic Ketoacidosis With Subcutaneous Insulin Aspart. *Diabetes Care*. 2004 August 1, 2004;27(8):1873-8.
103. Umpierrez GE, Cuervo R, Karabell A, Latif K, Freire AX, Kitabchi AE. Treatment of Diabetic Ketoacidosis With Subcutaneous Insulin Aspart. *Diabetes Care* 2004;27(8):1873-8.
104. Umpierrez GE, Jones S, Smiley D, et al. Insulin Analogs Versus Human Insulin in the Treatment of Patients With Diabetic Ketoacidosis. *Diabetes Care*. 2009;32(7):1164-9.
105. Umpierrez GE, Kelly JP, Navarrete JE, et al. Hyperglycemic Crises in Urban Blacks. *Archives of Internal Medicine*. 1997;157(6):669-75.
106. Umpierrez GE, Khajavi M, Kitabchi AE. Review: diabetic ketoacidosis and hyperglycemic hyperosmolar nonketotic syndrome. *Am J Med Sci*. 1996 May;311(5):225-33.
107. Umpierrez GE, Smiley D, Kitabchi AE. Narrative Review: Ketosis-Prone Type 2 Diabetes Mellitus. *Ann Intern Med* 2006;144(5):350-7.
108. Umpierrez, G.E.; Smiley, D; Kitabchi, A.E. Narrative Review: Ketosis-Prone Type 2 Diabetes Mellitus. *Annals of Internal Medicine* 2006; 144 (no. 5): 350-357
109. Vavilala MS, Richards TL, Roberts JS, et al. Change in blood-brain barrier permeability during pediatric diabetic ketoacidosis treatment. *Pediatr Crit Care Med*. May;11(3):332-8.
110. Viallon A, Zeni F, Lafond P, et al. Does bicarbonate therapy improve the management of severe diabetic ketoacidosis? *Crit Care Med*. 1999;27:2690-3.
111. Virkamaki A, Ueki K, Kahn CR. Protein-protein interaction in insulin signaling and the molecular mechanisms of insulin resistance. *J Clin Invest* 1999;103(7):931-43.
112. Wachtel TJ, Tetu-Mouradjian LM, Goldman DL, et al. Hyperosmolarity and acidosis in diabetes mellitus: a three-year experience in Rhode Island. *J Gen Intern Med*. 1991 Nov-Dec;6(6):495-502.
113. Wagner A, Risse A, Brill HL, et al. Therapy of severe diabetic ketoacidosis: zero-mortality under very-low-dose insulin application. *Diabetes Care*. 1999;22:674-77.
114. Wagner A, Risse A, Brill HL, et al. Therapy of severe diabetic ketoacidosis: zero-mortality under very-low-dose insulin application. *Diabetes Care* 1999;22:674-77.
115. Waldhausl W, Kleinberger G, Korn A, et al. Severe hyperglycemia: effects of rehydration on endocrine derangements and blood glucose concentration. *Diabetes*. 1979 Jun;28(6):577-84.
116. Wolfsdorf J, Glaser N, Sperling MA. Diabetic ketoacidosis in infants, children, and adolescents: A consensus statement from the American Diabetes Association. *Diabetes Care*. 2006 May;29(5):1150-9.
117. Wrenn, K. et al. The syndrome of alcoholic ketoacidosis. *Am J Med* 1991;91:119.
118. Zouvanis M, Pieterse AC, Seftel HC, et al. Clinical characteristics and outcome of hyperglycaemic emergencies in Johannesburg Africans. *Diabet Med*. 1997 Jul;14(7):603-6.